



MOTOROLA SOLUTIONS

Commercial Devices Price Book - April 2018

Europe, Middle East and Africa



Currency
Version

EUR
1

Contents Page

Revision Date Of Text: 09 April 2018
Pricing Information Valid As Of: 01 January 2018

No liability is accepted for pricing or description errors in this document. All true descriptions and pricing can be obtained from the Buying Centre on MOL.

Analogue Portables

<i>Page 1</i>	VZ-10 & VZ-18 (Non-CE) Non-Display and Display 16/128 Ch portable
<i>Page 2</i>	VZ-20 & VZ-28 (Non-CE) Non-Display and Display 16/128 Ch portable
<i>Page 3</i>	VZ-30 (Non-CE) Non Display, 32 Ch portable, Full band
<i>Page 4</i>	VX-261 (CE) Non Display, 16 Ch portable
<i>Page 5</i>	VX-264 (CE) Display, 128 Ch portable, Full band
<i>Page 6</i>	VX-260 series accessories
<i>Page 7</i>	VX-451 (CE) Non Display, 32 Ch portable, Full band, 5 Tone, Option boards, Submersible
<i>Page 8</i>	VX-454 (CE) Display, 512 Ch 4 key portable, Full band, 5 Tone, Option boards, Submersible
<i>Page 9</i>	VX-459 (CE) Display, 512 Ch 16 key portable, Full band, 5 Tone, Option boards, Submersible
<i>Page 10</i>	VX-450 series accessories

Digital Portables

<i>Page 11</i>	EVX-261 (CE) Non Keypad, 16 Ch portable, Full band
<i>Page 12</i>	EVX-261 accessories
<i>Page 13</i>	EVX-S24 (CE) Keypad, Display, 256 Ch portable
<i>Page 14</i>	EVX-S24 accessories

Analogue Mobiles

<i>Page 15</i>	VX-2100 (CE and Non CE) Display, 8 Ch, 4 Key mobile, Full band, 5 Tone
<i>Page 16</i>	VX-2200 (CE and Non CE) LCD Display, 128 Ch, 4 Key mobile, Full band, 5 Tone
<i>Page 17</i>	VX-2100 and VX-2200 accessories

Currency: EUR
 Revision Date Of Text: 09 April 2018
 Pricing Information Valid As Of: 01 January 2018

VZ-10 & VZ-18 Series - Two-Way Radio


Simple and Reliable
 Engineered for ease of use with quality in mind.
 Available in 5W VHF 136-174MHz and 4W UHF 400-470MHz, display and non-display models.

Hardware features:

- Display (VZ-18) and Non-Display (VZ-10)
- 128 / 16 Channels (VZ-18/VZ-10)
- 2 side buttons (programmable)
- Two prong accessory connector socket
- IP 54
- 1W Loudspeaker

Operator friendly controls and features include:

- Battery Status Indicator
- Internal VOX (Voice Activated Transmit)
- Battery Saver Mode
- Talkaround
- Two programmable option buttons
- Channel Announcement
- Busy Channel Lockout (BCLO)
- CTCSS/DCS Encode/Decode
- PTT ID



All VZ-10 & VZ-18 Portables include:

- Portable radio
- Antenna
- Li-Ion Battery
- CV13 Desktop Charger
- Belt clip
- User guide incorporating safety leaflet
- 12 months warranty

Radios:	Power	Model/Option	Description	Manufacturer's Suggested List Price
136 - 174 MHz	1 - 5 W	AZ089N530-MSI	VZ-10-D0-5 VHF Non-Disp 136-174 MHz	€ 87.00
400 - 470 MHz	1 - 4 W	AZ089U530-MSI	VZ-10-G6-4 UHF Non-Disp 400-470 MHz	€ 87.00
136 - 174 MHz	1 - 5 W	AZ089N531-MSI	VZ-18-D0-5 VHF Display 136-174 MHz	€ 100.00
400 - 470 MHz	1 - 4 W	AZ089U531-MSI	VZ-18-G6-4 UHF Display 400-470 MHz	€ 100.00
Accessories				
		Model Number	Description	Manufacturer's Suggested List Price
Lithium Ion Battery / Charger S.U.C				
		CZ089B601	FNB-Z165Li-Ion 1600mAh VZ-10/18	€ 35.00
		CZ089C601	CV13 Charger Base VZ-10/18	€ 17.00
		CZ083P603	PV-05C Power Adaptor, EU 2 pin	€ 15.00
		CZ083P604	PV-05U Power Adaptor, UK 3 pin	€ 15.00
Carry solutions				
		CZ072CL61	Belt clip VZ Series (For FNB-Z161 LI) VZ-10/18	€ 5.00
Antennas				
		CZ089AN602	VZ Series VHF Antenna 136-174MHz VZ-10/18	€ 17.00
		CZ089AN601	VZ Series UHF Antenna 400-470MHz VZ-10/18	€ 17.00
Programming accessories				
		CZ073CB601	CZ-113 VZ-10/18 Series Programming Cable	€ 22.00
		N/A	VX-260 series Programming software - download from MOL	
Audio accessories				
		CZ084AUA61	MHZ-101B Remote Speaker Microphone VZ-10/18/20/28	€ 35.00
		CZ084AUA62	MHZ-201B Inline PTT Earbud VZ-10/18/20/28	€ 20.00
		CZ084AUA63	MHZ-202B G-Hook Earbud VZ-10/18/20/28	€ 28.00

No liability is accepted for pricing or description errors in this document. All true descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency: EUR
 Revision Date Of Text: 09 April 2018
 Pricing Information Valid As Of: 01 January 2018

VZ-20 & VZ-28 Series - Two-Way Radio

Simple and Reliable
 Engineered for ease of use with quality in mind.
 Available in 5W VHF 136-174MHz and 4W UHF 400-470MHz, display and non-display models.

Hardware features:

- Display (VZ-28) and Non-Display (VZ-20)
- 128 / 16 Channels (VZ-28/VZ-20)
- 2 side buttons (programmable)
- Two prong accessory connector socket
- IP 54
- 1W Loudspeaker

Operator friendly controls and features include:

- Battery Status Indicator
- Internal VOX (Voice Activated Transmit)
- Battery Saver Mode
- Talkaround
- Two programmable option buttons
- Channel Announcement
- Busy Channel Lockout (BCLO)
- CTCSS/DCS Encode/Decode
- PTT ID

All VZ-20 & VZ-28 Portables include:

- Portable radio
- Antenna
- Li-Ion Battery
- CV17 Desktop Charger
- Belt clip
- User guide incorporating safety leaflet
- 12 months warranty



VZ-20

VZ-28

Radios:	Power	Model/Option	Description	Manufacturer's Suggested List Price
136 - 174 MHz	1 - 5 W	AZ084N530-MSI	VZ-20-D0-5 VHF Non-Disp 136-174 MHz	€ 104.00
400 - 470 MHz	1 - 4 W	AZ084U530-MSI	VZ-20-G6-4 UHF Non-Disp 400-470 MHz	€ 104.00
136 - 174 MHz	1 - 5 W	AZ084N531-MSI	VZ-28-D0-5 VHF Display 136-174 MHz	€ 119.00
400 - 470 MHz	1 - 4 W	AZ084U532-MSI	VZ-28-G6-4 UHF Display 400-470 MHz	€ 119.00
Accessories				
		Model Number	Description	Manufacturer's Suggested List Price
Lithium Ion Battery / Charger S.U.C				
		CZ088B611	FNB-Z182LI Li-Ion 1800mAh VZ-20/28	€ 35.00
		CZ083C611	CV17 Charger Base VZ-20/28	€ 17.00
		CZ083P603	PV-05C Power Adaptor, EU 2 pin	€ 15.00
		CZ083P604	PV-05U Power Adaptor, UK 3 pin	€ 15.00
Carry solutions				
		CZ088CL61	Belt clip VZ Series (For FNB-Z182 LI) VZ-20/28	€ 5.00
Antennas				
		CZ088AN601	VZ Series UHF Antenna 400-470MHz VZ-20/28	€ 17.00
		CZ088AN602	VZ Series VHF Antenna 136-174MHz VZ-20/28	€ 17.00
Programming accessories				
		CZ088CB602	CZ-116 VZ-20/28 Series Programming Cable	€ 22.00
Audio accessories				
		CZ084AUA61	MHZ-101B Remote Speaker Microphone VZ-10/18/20/28	€ 35.00
		CZ084AUA62	MHZ-201B Inline PTT Earbud VZ-10/18/20/28	€ 20.00
		CZ084AUA63	MHZ-202B G-Hook Earbud VZ-10/18/20/28	€ 28.00

No liability is accepted for pricing or description errors in this document. All true descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency EUR
 Revision Date Of Text: 09 April 2018
 Pricing Information Valid As Of: 01 January 2018

VZ-30 Series - Two-Way Radio with 32 Channels

Simple and Reliable
 Engineered for ease of use with quality in mind.
 Available in 5W VHF 136-174MHz and 4W UHF 400-470MHz.

Hardware features:

- 2 side buttons (programmable)
- Two prong accessory connector socket
- 1W Loudspeaker
- Full band
- IP 54

Operator friendly controls and features include:

- Battery Status Indicator
- RSSI Indicator
- Battery Saver Mode
- Talkaround
- Two programmable option buttons support your choice of up to four product features
- Channel Announcement
- Internal VOX (Voice Activated Transmit)
- 2-pin accessory connector
- Busy Channel Lockout (BCLO)
- Reverse Burst
- PTT ID

All VZ-30 Portables include:

- Portable radio
- Antenna
- Li-Ion Battery
- CV05 Desktop Charger
- Belt clip
- User guide incorporating safety leaflet
- 12 months warranty



Radios:	Power	Model/Option	Description	Manufacture's Suggested List Price
136 - 174 MHz	1 - 5 W	AZ086U531-MSI	VZ-30-D0-5 VHF (NON-CE) 136-174 MHz	€ 116.00
400 - 470 MHz	1 - 4 W	AZ086N531-MSI	VZ-30-G6-4 UHF (NON-CE) 400-470 MHz	€ 116.00
Accessories				
		Model Number	Description	Manufacture's Suggested List Price
Lithium Ion Battery / Charger S.U.C				
		CZ083B618B	FNB-Z181LI Li-Ion 1800 mAh VZ-30	€ 35.00
		CZ083C618	CV05 Charger Base VZ-30	€ 17.00
		CZ083P603	PV-05C Power Adaptor, EU 2 pin	€ 15.00
		CZ083P604	PV-05U Power Adaptor, UK 3 pin	€ 15.00
Carry solutions				
		CZ083CL65	Belt clip VZ Series (For FNB-Z181 LI) VZ-30	€ 5.00
Antennas				
		CZ083AN605	VZ Series UHF Antenna 400-470MHz VZ-30	€ 17.00
		CZ083AN606	VZ Series VHF Antenna 136-174MHz VZ-30	€ 17.00
Programming accessories				
		CZ083CB603	CZ-110 VZ-30 Series Programming Cable	€ 22.00
Audio accessories				
		CZ083AUA62	MHZ-201A Inline PTT Earbud	€ 22.00
		CZ083AUA63	MHZ-202A G-Hook Earbud	€ 28.00
		CZ083AUA61	MHZ-101A Remote Speaker Microphone	€ 35.00

No liability is accepted for pricing or description errors in this document. All true descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency EUR
Revision Date Of Text: 09 April 2018
Pricing Information Valid As Of: 01 January 2018

VX-261 Series - Two-Way Radio with 16 Channels

The VX-261 series is a 'compact radio' consisting of VX-261 VHF and UHF portables
Simple to operate allowing users to keep in contact while still concentrating on the job in hand.
Available in 5W VHF 136-174MHz CE, 5W UHF 403-470MHz CE

Hardware features:

- 16 position rotary with stop
- 2 side buttons (programmable)
- Accessory connector socket
- Full band
- MIL 810 CDEFG
- IP 55

Operator friendly controls and features include:

- Large rotary channel selector
- Rotary On/Off and volume control
- Tri colour LED
- Large textured PTT
- Rugged die-cast chassis
- Dynamic Tx power control
- MDC1200® ANI Encode
- Internal VOX (when used with VOX accessory)
- CTCSS / DCS and 2 Tone/5 Tone Encode / Decode
- Emergency
- Lone worker
- Programmable channel spacing 12.5/20/25KHz
- ARTS (Automatic Range Transponder System)
- Scan
- FleetSync® ANI Encode

All VX-261 Portables include:

- Portable radio
- Choice of antenna
- Choice of NiMH or Li Ion battery
- Desktop Rapid Charger for NiMH or Li Ion battery
- Belt clip
- Accessory socket dust cover
- User guide incorporating safety leaflet
- 12 months warranty



**Important note: Options listed below - one of each item must be chosen.
i.e. Chose a radio, antenna, battery and charger option.**

Radios:	Power	Model/Option	Description	Manufacture's Suggested List Price
CE 136 - 174 MHz	1 - 5 W	AC151N501-MSI	VX-261-D0-5 (CE) 136-174MHz, 16CH, No display	€ 150.00
		QA07100AA	adds: ATV-8A (134-151MHz Helical 15cm RED Insulator)	€ 0.00
		QA07101AA	adds: ATV-8B (150-163MHz Helical 15cm BROWN Insulator)	€ 0.00
		QA07102AA	adds: ATV-8C (161-174MHz Helical 15cm BLACK Insulator)	€ 0.00
		QA07099AA	adds: ATV-6XL (135-174MHz Untuned Helical 18cm BLACK Insulator)	€ 0.00
CE 400 - 470 MHz	1 - 5 W	AC151U502-MSI	VX-261-G6-5 (CE) 403-470MHz, 16CH, No display	€ 150.00
		QA07095AA	adds: ATU-6A (400-430MHz Whip 16cm BROWN Insulator)	€ 0.00
		QA07096AA	adds: ATU-6B (420-450MHz Whip 16cm YELLOW Insulator)	€ 0.00
		QA07097AA	adds: ATU-6C (440-470MHz Whip 16cm BLUE Insulator)	€ 0.00
NiMH Battery/Charger options:			Select one option below	
		QA07090AA	ADD: FNB-V136-UNI NI-MH BAT 1200MAH NO CHARGER	-€ 27.00
		QA07091AA	ADD: FNB-V136-UNI NI-MH BAT AND VAC-UNIC EU CHARGER	€ 0.00
		QA07092AA	ADD: FNB-V136-UNI NI-MH BAT AND VAC-UNIU UK CHRGER	€ 0.00
Lithium Ion Battery/Charger options:			Select one option below	
		QA07084AA	ADD: FNB-V133LI-UNI LI-ION BATTERY 1380MAh No Charger	-€ 27.00
		QA07085AA	ADD: FNB-V133LI-UNI LI BAT 1380MAH and VAC-UNIC	€ 0.00
		QA07086AA	ADD: FNB-V133LI-UNI LI BAT 1380MAH and VAC-UNIU	€ 0.00
		QA07087AA	ADD: FNB-V134LI-UNI LI-ION BATTERY 2300MAh No Charger	-€ 5.50
		QA07088AA	ADD:FNB-V134LI-UNI LI BAT and VAC-UNIC	€ 21.50
		QA07089AA	ADD:FNB-V134LI-UNI LI BAT and VAC-UNIU	€ 21.50

No liability is accepted for pricing or description errors in this document. All true descriptions and pricing can be obtained from MOL.

Currency: EUR
Revision Date Of Text: 09 April 2018
Pricing Information Valid As Of: 01 January 2018

VX-264 Series - Two-Way Radio with 128 Channels

The VX-264 series is a 'compact radio' consisting of VX-264 VHF and UHF portables
Simple to operate allowing users to keep in contact while still concentrating on the job in hand.
Available in 5W VHF 136-174MHz CE, 5W UHF 403-470MHz CE

Hardware features:

- 16 position rotary with stop
- 6 Programmable buttons
- Accessory connector socket
- Full band
- MIL 810 CDEFG
- IP 55

Operator friendly controls and features include:

- Large rotary channel selector
- Rotary On/Off and volume control
- Tri colour LED
- Large textured PTT
- Rugged die-cast chassis
- Dynamic Tx power control
- MDC1200® ANI Encode
- FleetSync® ANI Encode
- Sel Call Encode/Decode
- Radio Check Encode/Decode
- Internal VOX (when used with VOX accessory)
- CTCSS / DCS and 2 Tone/5 Tone Encode / Decode
- Emergency
- Lone worker
- Programmable channel spacing 12.5/20/25KHz
- ARTS (Automatic Range Transponder System)
- Scan
- ANI Decode
- Emergency Encode/Decode
- Call Alert Encode/Decode
- Voice Inversion Encryption

All VX-264 Portables include:

- Portable radio
- Choice of antenna
- Choice of NiMH or Li Ion battery
- Desktop Rapid Charger for NiMH or Li Ion battery
- Belt clip
- Accessory socket dust cover
- User guide incorporating safety leaflet
- 12 months warranty



**Important note: Options listed below - one of each item must be chosen.
i.e. Chose a radio, antenna, battery and charger option.**

Radios:	Power	Model/Option	Description	Manufacturer's Suggested List Price
CE 136 - 174 MHz	1 - 5 W	AC127N501-MSI	VX-264-D0-5 (CE) 136-174MHz, 128CH, Limited Keypad	€ 190.00
		QA07121AA	adds: ATV-8A (134-151MHz Helical 15cm RED Insulator)	€ 0.00
		QA07122AA	adds: ATV-8B (150-163MHz Helical 15cm BROWN Insulator)	€ 0.00
		QA07123AA	adds: ATV-8C (161-174MHz Helical 15cm BLACK Insulator)	€ 0.00
CE 400 - 470 MHz		QA07120AA	adds: ATV-6XL (135-174MHz Untuned Helical 18cm BLACK Insulator)	€ 0.00
		AC127U502-MSI	VX-264-G6-5 (CE) 403-470MHz, 128CH, Limited Keypad	€ 190.00
		QA07116AA	adds: ATU-6A (400-430MHz Whip 16cm BROWN Insulator)	€ 0.00
		QA07117AA	adds: ATU-6B (420-450MHz Whip 16cm YELLOW Insulator)	€ 0.00
		QA07118AA	adds: ATU-6C (440-470MHz Whip 16cm BLUE Insulator)	€ 0.00
NiMH Battery/Charger options:			Select one option below	
		QA07113AA	ADD: FNB-V136-UNI NI-MH BAT 1200MAH NO CHARGER	-€ 27.00
		QA07114AA	ADD: FNB-V136-UNI NI-MH BAT AND VAC-UNIC EU CHARGER	€ 0.00
		QA07115AA	ADD: FNB-V136-UNI NI-MH BAT AND VAC-UNIU UK CHRGER	€ 0.00
Lithium Ion Battery/Charger options:			Select one option below	
		QA07107AA	ADD: FNB-V133LI-UNI LI-ION BATTERY 1380MAh No Charger	-€ 27.00
		QA07108AA	ADD: FNB-V133LI-UNI LI BAT 1380MAH and VAC-UNIC	€ 0.00
		QA07109AA	ADD: FNB-V133LI-UNI LI BAT 1380MAH and VAC-UNIU	€ 0.00
		QA07110AA	ADD: FNB-V134LI-UNI LI-ION BATTERY 2300MAh No Charger	-€ 5.50
		QA07111AA	ADD:FNB-V134LI-UNI LI BAT and VAC-UNIC	€ 21.50
		QA07112AA	ADD:FNB-V134LI-UNI LI BAT and VAC-UNIU	€ 21.50

No liability is accepted for pricing or description errors in this document. All true descriptions and pricing can be obtained from MOL.

Currency: EUR
Revision Date Of Text: 09 April 2018
Pricing Information Valid As Of: 01 January 2018

Page 6

Model number	Description		Manufacturer's Suggested List Price
Antennas			
AAE23X501	ATU-6A	400-430 MHz UHF Antenna 165mm	€ 17.00
AAE23X506	ATU-6B	420-450 MHz UHF Antenna 155mm	€ 17.00
AAE23X502	ATU-6C	440-470 MHz UHF Antenna 155mm	€ 17.00
AAE20X503	ATU-6DS	450-485 MHz UHF Antenna 89mm	€ 17.00
AAE23X503	ATU-6D	450-485 MHz UHF Antenna 152.5mm	€ 17.00
AAG42X501	ATV-6XL	Untuned VHF Antenna 177.8mm	€ 17.00
AAE24X501	ATV-8A	134-151 MHz VHF Antenna 152.5mm	€ 17.00
AAE24X502	ATV-8B	150-163 MHz VHF Antenna 152.5mm	€ 17.00
AAE24X503	ATV-8C	161-174 MHz VHF Antenna 152.5mm	€ 17.00
Batteries / Charger S.U.C			
AAL01X501	FNB-V136-UNI	FNB-V136-UNI 1200 mAh Ni-MH Battery	€ 26.00
AAJ67X501	FNB-V133LI	FNB-V133LI-UNI LI-ION BATTERY 1380MAH	€ 27.50
AAJ68X501	FNB-V134LI	FNB-V134LI-UNI LI-ION BATTERY 2300MAH	€ 49.00
GMLN5511A	VAC-UNIC	VAC-UNIC (CD-58 + PA55C) Euro	€ 32.00
GMLN5512A	VAC-UNIUI	VAC-UNIUI (CD-58 + PA55U) UK	€ 32.00
Battery chargers M.U.C			
GMLN5513A	VAC-6058C	VAC-6058C MUC FOR UNI BATTERY EU PLUG	€ 375.00
GMLN5514A	VAC-6058U	VAC-6058C MUC FOR UNI BATTERY UK PLUG	€ 375.00
Vehicle charger			
AAK45X501	VCM-5	VCM-5 Vehicle Charger	€ 54.00
Audio accessories			
AAL82X501	MH-100	3.5mm Earpiece	€ 15.00
AAK50X501	MH-37A4B-1	Earpiece Microphone	€ 31.00
AAL40X501	VH-150A	Behind head Vox Compatible Microphone	€ 62.00
AAL41X501	VH-150B	Over The Head Vox Compatible Microphone	€ 96.00
AAL83X501	MH-101A4B	1 Wire Surveillance Kit	€ 31.00
AAL84X501	MH-102A4B	2 Wire Surveillance Kit	€ 42.00
A13960507	MH-45B4B	Speaker Microphone Noise cancelling	€ 70.00
AAF53X501	MH-450s	Speaker Microphone Small type	€ 37.00
AAF52X501	MH-360s	Speaker Microphone Miniature type	€ 35.00
Carry Solutions			
AAM03X511	LCC-261	Leather case with belt loop (FNB-V133LI-UNI)	€ 30.00
AAM03X512	LCC-261H	Leather case with belt loop (FNB-V134LI-UNI)	€ 30.00
AAM03X513	LCC-261S	Leather case with swivel belt loop (FNB-V133LI-UNI)	€ 43.00
AAM03X514	LCC-261SH	Leather case with swivel belt loop (FNB-V134LI-UNI)	€ 43.00
AAM04X501	LCC-264	Leather case with belt loop (FNB-V133LI-UNI)	€ 29.00
AAM04X502	LCC-264H	Leather case with belt loop (FNB-V134LI-UNI)	€ 29.00
AAM04X503	LCC-264S	Leather case with swivel belt loop (FNB-V133LI-UNI)	€ 38.00
AAM04X504	LCC-264SH	Leather case with swivel belt loop (FNB-V134LI-UNI)	€ 38.00
Programming accessories			
AAJ23X501	FIF-12	USB interface adapter for use with CT-106	€ 42.00
AAD68X501	CT-106	Programming Cable interface to connect to FIF-12	€ 22.00
N/A	VX-260 series Programming software - download from MOL		Free of charge
Product manual			
N/A	VX-260 series VHF and UHF product manuals - download from MOL		Free of charge

No liability is accepted for pricing or description errors in this document. All true descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency: EUR
Revision Date Of Text: 09 April 2018
Pricing Information Valid As Of: 01 January 2018

VX-451 - Two-Way Radio with 32 Channels (submersible 1 meter for 30 minutes)

The VX-451 series is a 'compact radio' consisting of VHF and UHF portables
Easy to operate with fundamental features you need, allowing users to keep in contact while still concentrating on the job in hand.

Available in both 5W UHF and 5W VHF models.

Hardware features:

- 16 position rotary with stop (two group settings allow 32 channels)
- 3 side buttons (programmable - dual function)
- Accessory connector socket
- MIL 810 CDEFG
- IP 57 (with accessory cover fitted)

Operator friendly controls and features include:

- Large rotary channel selector
- Angled rotary On/Off and volume control
- Tri colour LED
- Large textured PTT
- Rugged die-cast chassis
- Option board capable
- Audio Companding
- Clear Voice
- Dynamic Tx power control
- VOX (Internal and External)
- CTCSS / DCS, 5 Tone En/Decode, MDC1200 En/Decode, DTMF En/Decode
- Stun/Revive/Kill (5 Tone), Stun/Revive (MDC1200)
- Emergency
- Mandown (option board)*
- Lone worker
- Voice Inversion Encryption built in (4 programmable modes)
- Programmable channel spacing 12.5/20/25KHz
- Scan
- ARTS MDC (Automatic Range Transpond System with MDC1200 auto ID)
- Channel Announcement (dealer recordable / multi language)

All VX-451 Portables include:

- Portable radio
- Choice of antenna
- 2 types of Li Ion battery
- Bi Chem Rapid Charger for Lilon battery
- 'Push on' belt clip
- Accessory socket dust cover
- Userguide incorporating safety leaflet
- 12 months warranty

**Important note: Options listed below - one of each item must be chosen.
i.e. Chose a radio, antenna, battery and single unit desktop rapid charger option.**



Radios:	Power	Model/Option	Description	Manufacture's Suggested List Price
CE 136 - 174 MHz	1 - 5 W	AC095N501-MSI	VX-451-D0-5 C (CE) 136-174MHz, 32CH, no display	€ 246.00
		QA07379AA	adds:ATV-16A VHF Antenna (136-150MHz) 14cm RED	€ 0.00
		QA07380AA	adds:ATV-16B VHF Antenna (150-162MHz) 14cm BROWN	€ 0.00
		QA07381AA	adds:ATV-16C VHF Antenna (162-174MHz) 14cm BLACK	€ 0.00
		QA07382AA	adds:ATV-16XL (Untuned Antenna)	€ 0.00
CE 400 - 470 MHz	1 - 5 W	AC095U502-MSI	VX-451-G6-5 A (CE) 403-470MHz, 32CH, no display	€ 246.00
		QA07383AA	adds:ATU-16B UHF Antenna (400-420MHz) 14cm BLUE	€ 0.00
		QA07384AA	adds:ATU-16C UHF Antenna (420-450MHz) 14cm BROWN	€ 0.00
		QA07385AA	adds:ATU-16D UHF Antenna (450-470 MHz) 14cm RED	€ 0.00
		QA07386AA	adds:ATU-16BS UHF 400-430 MHZ STUBBY ANTENNA	€ 0.00
QA07387AA	adds: ATU-16DS UHF 450-490 MHZ STUBBY ANTENNA	€ 0.00		
Battery/Charger options:		Select one option below		
		QA07365AA	ADD: FNB-V133LI-UNI LI-ION BATTERY 1380MAh No Charger MSI VX-450	-€ 27.00
		QA07366AA	ADD: FNB-V133LI-UNI LI BAT 1380MAH AND VAC-UNIC EU CHARGER MSI VX-450	€ 0.00
		QA07367AA	ADD: FNB-V133LI-UNI LI BAT 1380MAH AND VAC-UNIU UK CHARGER MSI VX-450	€ 0.00
		QA07368AA	ADD: FNB-V134LI-UNI LI-ION BATTERY 2300MAh No Charger MSI VX-450	-€ 5.50
		QA07369AA	ADD: FNB-V134LI-UNI LI BAT AND VAC-UNIC EU CHARGER MSI VX-450	€ 21.50
		QA07370AA	ADD: FNB-V134LI-UNI LI BAT AND VAC-UNIU UK CHARGER MSI VX-450	€ 21.50
		QA07371AA	ADD: FNB-V136-UNI Ni-MH BATTERY 1200MAH No Charger MSI VX-450	-€ 27.00
		QA07372AA	ADD: FNB-V136-UNI Ni-MH BATTERY 1200MAH AND VAC-UNIC EU CHARGER MSI VX-450	€ 0.00
		QA07373AA	ADD: FNB-V136-UNI Ni-MH BATTERY 1200MAH AND VAC-UNIU UK CHARGER MSI VX-450	€ 0.00

No liability is accepted for pricing or description errors in this document. All true descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency: EUR
Revision Date Of Text: 09 April 2018
Pricing Information Valid As Of: 01 January 2018

VX-454 - Two-Way Radio with 512 Channels (submersible 1 meter for 30 minutes)

The VX-454 series is a 'compact, display, limited keypad radio' consisting of VHF and UHF portables
Easy to operate with fundamental features you need, allowing users to keep in contact while still concentrating on the job in hand.

Available in both 5W UHF and 5W VHF models.

Hardware features:

- Continuous rotary channel switch (either continuous channel select of 512 channels or 16 group settings of 32 channels)
- 3 side buttons (programmable - dual function)
- 4 front panel buttons (programmable - dual function)
- Accessory connector socket
- 8 character alphanumeric display
- MIL 810 CDEFG
- IP 57 (with accessory cover fitted)

Operator friendly controls and features include:

- Large rotary channel selector
- Angled rotary On/Off and volume control
- Tri colour LED
- Large textured PTT
- Rugged die-cast chassis
- Option board capable
- Audio Companding
- Clear Voice
- Dynamic Tx power control
- VOX (Internal and External)
- CTCSS / DCS, 5 Tone En/Decode, MDC1200 En/Decode, DTMF En/Decode
- Stun/Revive/Kill (5 Tone), Stun/Revive (MDC1200)
- Emergency
- Mandown (option board)*
- Lone worker
- Encryption built in
- Programmable channel spacing 12.5/20/25KHz
- Scan
- ARTS MDC (Automatic Range Transpond System with MDC1200 auto ID)
- Channel Announcement (dealer recordable / multi language)

All VX-454 Portables include:

- Portable radio
- Choice of antenna
- 2 types of Li Ion battery
- Bi Chem Rapid Charger for Li Ion battery
- 'Push on' belt clip
- Accessory socket dust cover
- Userguide incorporating safety leaflet
- 12 months warranty



i.e. Chose a radio, antenna, battery and single unit desktop rapid charger option.

Radios:	Power	Model/Option	Description	Manufacture's Suggested List Price
CE 136 - 174 MHz	1 - 5 W	AC094N502-MSI	VX-454-D0-5 C (CE) 136-174MHz, 512CH, display	€ 274.00
		QA07379AA	adds:ATV-16A VHF Antenna (136-150MHz) 14cm RED	€ 0.00
		QA07380AA	adds:ATV-16B VHF Antenna (150-162MHz) 14cm BROWN	€ 0.00
		QA07381AA	adds:ATV-16C VHF Antenna (162-174MHz) 14cm BLACK	€ 0.00
		QA07382AA	adds:ATV-16XL (Untuned Antenna)	€ 0.00
CE 400 - 470 MHz	1 - 5 W	AC094U504-MSI	VX-454-G6-5 A (CE) 403-470MHz, 512CH, display	€ 274.00
		QA07383AA	adds:ATU-16B UHF Antenna (400-420MHz) 14cm BLUE	€ 0.00
		QA07384AA	adds:ATU-16C UHF Antenna (420-450MHz) 14cm BROWN	€ 0.00
		QA07385AA	adds:ATU-16D UHF Antenna (450-470 MHz) 14cm RED	€ 0.00
		QA07386AA	adds:ATU-16BS UHF 400-430 MHZ STUBBY ANTENNA	€ 0.00
QA07387AA	adds: ATU-16DS UHF 450-490 MHZ STUBBY ANTENNA	€ 0.00		
Battery/Charger options:		Select one option below		
		QA07365AA	ADD: FNB-V133LI-UNI LI-ION BATTERY 1380MAh No Charger MSI VX-450	-€ 27.00
		QA07366AA	ADD: FNB-V133LI-UNI LI BAT 1380MAH AND VAC-UNIC EU CHARGER MSI VX-450	€ 0.00
		QA07367AA	ADD: FNB-V133LI-UNI LI BAT 1380MAH AND VAC-UNIU UK CHARGER MSI VX-450	€ 0.00
		QA07368AA	ADD: FNB-V134LI-UNI LI-ION BATTERY 2300MAh No Charger MSI VX-450	-€ 5.50
		QA07369AA	ADD: FNB-V134LI-UNI LI BAT AND VAC-UNIC EU CHARGER MSI VX-450	€ 21.50
		QA07370AA	ADD: FNB-V134LI-UNI LI BAT AND VAC-UNIU UK CHARGER MSI VX-450	€ 21.50
		QA07371AA	ADD: FNB-V136-UNI Ni-MH BATTERY 1200MAH No Charger MSI VX-450	-€ 27.00
		QA07372AA	ADD: FNB-V136-UNI Ni-MH BATTERY 1200MAH AND VAC-UNIC EU CHARGER MSI VX-450	€ 0.00
		QA07373AA	ADD: FNB-V136-UNI Ni-MH BATTERY 1200MAH AND VAC-UNIU UK CHARGER MSI VX-450	€ 0.00

No liability is accepted for pricing or description errors in this document. All true descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency: EUR
Revision Date Of Text: 09 April 2018
Pricing Information Valid As Of: 01 January 2018

VX-459 - Two-Way Radio with 512 Channels (submersible 1 meter for 30 minutes)

The VX-459 series is a 'compact, display, full keypad radio' consisting of VHF and UHF portables
Easy to operate with fundamental features you need, allowing users to keep in contact while still concentrating on the job in hand.

Available in both 5W UHF and 5W VHF models.

Hardware features:

- Continuous rotary channel switch (either continuous channel select of 512 channels or 16 group settings of 32 channels)
- 3 side buttons (programmable - dual function)
- 6 front panel buttons (programmable - dual function)
- Accessory connector socket
- 8 character alphanumeric display
- MIL 810 CDEFG
- IP 57 (with accessory cover fitted)

Operator friendly controls and features include:

- Large rotary channel selector
- Angled rotary On/Off and volume control
- Tri colour LED
- Large textured PTT
- Rugged die-cast chassis
- Option board capable
- Audio Companding
- Clear Voice
- Dynamic Tx power control
- VOX (Internal and External)
- Live Dial DTMF
- CTCSS / DCS, 5 Tone En/Decode, MDC1200 En/Decode, DTMF En/Decode
- Stun/Revive/Kill (5 Tone), Stun/Revive (MDC1200)
- Emergency
- Mandown (option board)*
- Lone worker
- Encryption built in
- Programmable channel spacing 12.5/20/25KHz
- Scan
- ARTS MDC (Automatic Range Transpond System with MDC1200 auto ID)
- Channel Announcement (dealer recordable / multi language)
- Direct Channel entry via keypad

All VX-459 Portables include:

- Portable radio
- Choice of antenna
- 2 types of Li Ion battery
- Bi Chem Rapid Charger for Li Ion battery
- 'Push on' belt clip
- Accessory socket dust cover
- Userguide incorporating safety leaflet
- 12 months warranty



i.e. Chose a radio, antenna, battery and single unit desktop rapid charger option.

Radios:	Power	Model/Option	Description	Manufacture's Suggested List Price
CE 136 - 174 MHz	1 - 5 W	AC094N501-MSI	VX-459-D0-5 C (CE) 136-174MHz, 512CH, display	€ 291.00
		QA07379AA	adds:ATV-16A VHF Antenna (136-150MHz) 14cm RED	€ 0.00
		QA07380AA	adds:ATV-16B VHF Antenna (150-162MHz) 14cm BROWN	€ 0.00
		QA07381AA	adds:ATV-16C VHF Antenna (162-174MHz) 14cm BLACK	€ 0.00
		QA07382AA	adds:ATV-16XL (Untuned Antenna)	€ 0.00
CE 400 - 470 MHz	1 - 5 W	AC094U503-MSI	VX-459-G6-5 A (CE) 403-470MHz, 512CH, display	€ 291.00
		QA07383AA	adds:ATU-16B UHF Antenna (400-420MHz) 14cm BLUE	€ 0.00
		QA07384AA	adds:ATU-16C UHF Antenna (420-450MHz) 14cm BROWN	€ 0.00
		QA07385AA	adds:ATU-16D UHF Antenna (450-470 MHz) 14cm RED	€ 0.00
		QA07386AA	adds:ATU-16BS UHF 400-430 MHZ STUBBY ANTENNA	€ 0.00
		QA07387AA	adds: ATU-16DS UHF 450-490 MHZ STUBBY ANTENNA	€ 0.00
Battery/Charger options:		Select one option below		
		QA07365AA	ADD: FNB-V133LI-UNI LI-ION BATTERY 1380MAh No Charger MSI VX-450	-€ 27.00
		QA07366AA	ADD: FNB-V133LI-UNI LI BAT 1380MAH AND VAC-UNIC EU CHARGER MSI VX-450	€ 0.00
		QA07367AA	ADD: FNB-V133LI-UNI LI BAT 1380MAH AND VAC-UNIUK CHARGER MSI VX-450	€ 0.00
		QA07368AA	ADD: FNB-V134LI-UNI LI-ION BATTERY 2300MAh No Charger MSI VX-450	-€ 5.50
		QA07369AA	ADD: FNB-V134LI-UNI LI BAT AND VAC-UNIC EU CHARGER MSI VX-450	€ 21.50
		QA07370AA	ADD: FNB-V134LI-UNI LI BAT AND VAC-UNIUK CHARGER MSI VX-450	€ 21.50
		QA07371AA	ADD: FNB-V136-UNI Ni-MH BATTERY 1200MAH No Charger MSI VX-450	-€ 27.00
		QA07372AA	ADD: FNB-V136-UNI Ni-MH BATTERY 1200MAH AND VAC-UNIC EU CHARGER MSI VX-450	€ 0.00
		QA07373AA	ADD: FNB-V136-UNI Ni-MH BATTERY 1200MAH AND VAC-UNIUK CHARGER MSI VX-450	€ 0.00

No liability is accepted for pricing or description errors in this document. All true descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency: EUR
Revision Date Of Text: 09 April 2018
Pricing Information Valid As Of: 01 January 2018

Page 10

Model number	Description		Manufacture's Suggested List Price
Antennas			
AAH73X502	ATV-16A	VHF Antenna (136-150MHz) 14cm RED	€ 17.00
AAH73X503	ATV-16B	VHF Antenna (150-161MHz) 14cm BROWN	€ 17.00
AAH73X504	ATV-16C	VHF Antenna (162-174MHz) 14cm BLACK	€ 17.00
AAH73X501	ATV-16XL	VHF Antenna (Untuned)	€ 17.00
AAH72X501	ATU-16B	UHF Antenna (400-420MHz) 14cm BLUE	€ 17.00
AAH72X502	ATU-16C	UHF Antenna (420-450MHz) 14cm BROWN	€ 17.00
AAH72X503	ATU-16D	UHF Antenna (450-470 MHz) 14cm RED	€ 17.00
AAJ10X501	ATU-16BS	ATU-16BS Stubby Antenna (400-430 MHz)	€ 17.00
AAJ10X502	ATU-16DS	ATU-16DS Stubby Antenna (450-490 MHz)	€ 17.00
Battery / Chargers S.U.C			
AAL01X501	FNB-V136-UNI	FNB-V136-UNI 1200 mAh Ni-MH Battery	€ 26.00
AAJ67X501	FNB-V133LI	FNB-V133LI-UNI LI-ION BATTERY 1380MAH	€ 27.50
AAJ68X501	FNB-V134LI	FNB-V134LI-UNI LI-ION BATTERY 2300MAH	€ 49.00
GMLN5511A	VAC-UNIC	VAC-UNIC (CD-58 + PA55C) Euro	€ 32.00
GMLN5512A	VAC-UNIUI	VAC-UNIUI (CD-58 + PA55U) UK	€ 32.00
Battery / Chargers M.U.C			
GMLN5513A	VAC-6058C	VAC-6058C MUC FOR UNI BATTERY EU PLUG	€ 375.00
GMLN5514A	VAC-6058U	VAC-6058C MUC FOR UNI BATTERY UK PLUG	€ 375.00
Vehicle charger			
AAK45X501	VCM-5	VCM-5 Vehicle Charger	€ 54.00
Audio accessories			
AAL82X501	MH-100	3.5mm Earpiece	€ 15.00
AAK50X501	MH-37A4B-1	Earpiece Microphone	€ 31.00
AAL40X501	VH-150A	Behind head Vox Compatible Microphone	€ 62.00
AAL41X501	VH-150B	Over The Head Vox Compatible Microphone	€ 96.00
AAL83X501	MH-101A4B	1 Wire Surveillance Kit	€ 31.00
AAL84X501	MH-102A4B	2 Wire Surveillance Kit	€ 42.00
A13960507	MH-45B4B	Speaker Microphone Noise cancelling	€ 70.00
AAF53X501	MH-450s	Speaker Microphone Small type	€ 37.00
AAF52X501	MH-360s	Speaker Microphone Miniature type	€ 35.00
AAE46X507	MH-66A4B	IP57 Submersible Spkr Mic	€ 70.00
Carry solutions			
AAH12X501	CLIP-20	Belt Clip	€ 6.00
AAJ14X501	LCC-133LN	LCC-133LN - BELT LOOP CASE (FNB-V133LI-UNI) NO DISPLAY	€ 30.00
AAJ14X502	LCC-134LN	LCC-134LN - BELT LOOP CASE (FNB-V134LI-UNI) NO DISPLAY	€ 30.00
AAJ14X503	LCC-133SN	LCC-133SN - SWIVEL BELT CLIP CASE (FNB-V133LI-UNI) NO DISPLAY	€ 35.00
AAJ14X504	LCC-134SN	LCC-134SN - SWIVEL BELT CLIP CASE (FNB-V134LI-UNI) NO DISPLAY	€ 35.00
AAJ14X505	LCC-133LD	LCC-133LD - BELT LOOP CASE (FNB-V133LI-UNI) DISPLAY	€ 30.00
AAJ14X506	LCC-134LD	LCC-134LD - Belt Loop Case (FNB-V134LI-UNI) Display	€ 30.00
AAJ14X507	LCC-133SD	LCC-133SD - SWIVEL BELT CLIP CASE (FNB-V133LI-UNI) DISPLAY	€ 35.00
AAJ14X508	LCC-134SD	LCC-134SD - SWIVEL BELT CLIP CASE (FNB-V134LI-UNI) DISPLAY	€ 35.00
Programming accessories			
AAJ23X501	FIF-12	USB interface adapter for use with CT-106	€ 42.00
AAD68X501	CT-106	Programing Cable interface to connect to FIF-12	€ 22.00
N/A	CE-115	VX-451, VX-454 and VX-459 programming software - download from MOL	Free of charge
Service items			
AAD68X501	CT-160	Connection Cable for FRB-6	€ 22.00
Product manual			
N/A		VX450 series VHF and UHF product manuals - download from MOL	Free of charge

No liability is accepted for pricing or description errors in this document. All true descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency: EUR
Revision Date Of Text: 09 April 2018
Pricing Information Valid As Of: 01 January 2018

EVX-261 Series - Two-Way Radio with 16 Channels

The EVX-261 series is a 'compact radio' consisting of VHF and UHF portables
Simple to operate allowing users to keep in contact while still concentrating on the job in hand.
Available in 5W VHF 136-174MHz and UHF 403-470MHz CE

Hardware features:

- 16 position rotary with stop
- 2 side buttons (programmable)
- Accessory connector socket
- Full band
- MIL 810 CDEFG
- IP 55

Operator friendly controls and features include:

- Large rotary channel selector
- Rotary On/Off and volume control
- Tri colour LED
- Large textured PTT
- Two programmable option buttons support your choice of up to fo
- Rugged die-cast chassis
- Dynamic Tx power control
- MDC1200® ANI Encode
- Internal VOX (when used with VOX accessory)
- CTCSS / DCS and 2 Tone/5 Tone Encode / Decode
- Emergency
- Lone worker
- Programmable channel spacing 12.5/20/25KHz
- Scan
- ARTS (Automatic Range Transpond System)
- Scan

All EVX-261 Portables include:

- Portable radio
- Choice of antenna
- Choice of NiMH or Li Ion battery
- Desktop Rapid Charger for NiMH or Li Ion battery
- Belt clip
- Accessory socket dust cover
- Userguide incorporating safety leaflet
- 12 month warranty (radio only)



**Important note: Options listed below - one of each item must be chosen.
i.e. Chose a radio, antenna, battery and charger option.**

Radios:	Power	Model/Option	Description	Manufacturer's Suggested List Price
CE 136 - 174 MHz	1-5 W	AC137N501-MSI	EVX-261-D0-5 (CE) 136-174MHz, 16CH, No display	€ 220.00
		QA07136AA	ADD: ATV-8A Ant 134-151 MHz VHF 152.5mm	€ 0.00
		QA07137AA	ADD: ATV-8B Ant 150-163 MHz VHF 152.5mm	€ 0.00
		QA07138AA	ADD: ATV-8C Ant 161-174 MHz VHF 152.5mm	€ 0.00
		QA07135AA	ADD: ATV-6XL Ant VHF Untuned 177.8mm	€ 0.00
CE 400 - 470 MHz	1-5 W	AC137U502-MSI	EVX-261-G6-5 (CE) 403-470MHz, 16CH, No display	€ 220.00
		QA07139AA	ADD: ATU-6A Ant 400-430 MHz UHF 165mm	€ 0.00
		QA07140AA	ADD: ATU-6B Ant 420-450 MHz UHF 155mm	€ 0.00
		QA07141AA	ADD: ATU-6C Ant 440-470 MHz UHF 155mm	€ 0.00
		QA07142AA	ADD: ATU-6DS Ant 450-485 MHz UHF 89mm	€ 0.00
NiMH Battery options:		Select one option below		
		QA07132AA	ADD: FNB-V136-UNI Ni-MH BATTERY 1200MAH No Charger MSI EVX-261	-€ 14.50
		QA07133AA	ADD: FNB-V136-UNI Ni-MH BAT 1200MAH AND VAC-UNIC EU CHARGER MSI EVX-261	€ 0.00
		QA07134AA	ADD: FNB-V136-UNI Ni-MH AND VAC-UNIUK CHARGER MSI EVX-261	€ 0.00
Lithium Ion Battery options:		Select one option below		
		QA07126AA	ADD: FNB-V133LI-UNI LI-ION BATTERY 1380MAh No Charger MSI EVX-261	-€ 14.50
		QA07127AA	ADD: FNB-V133LI-UNI LI BAT 1380MAH AND VAC-UNIC EU CHARGER MSI EVX-261	€ 0.00
		QA07128AA	ADD: FNB-V133LI-UNI LI BAT 1380MAH AND VAC-UNIUK CHARGER MSI EVX-261	€ 0.00
		QA07129AA	ADD: FNB-V134LI-UNI LI-ION BATTERY 2300MAh No Charger MSI EVX-261	€ 7.00
		QA07130AA	ADD: FNB-V134LI-UNI LI BAT 2300MAH AND VAC-UNIC EU CHARGER MSI EVX-261	€ 21.50
		QA07131AA	ADD: FNB-V134LI-UNI LI BAT 2300MAH AND VAC-UNIUK CHARGER MSI EVX-261	€ 21.50

No liability is accepted for pricing or description errors in this document. All true descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency EUR
Revision Date Of Text: 09 April 2018
Pricing Information Valid As Of: 01 January 2018

Page 12

Model number	Description		Manufacture's Suggested List Price
Antennas			
AAE23X501	ATU-6A	400-430 MHz UHF Antenna 165mm	€ 17.00
AAE23X506	ATU-6B	420-450 MHz UHF Antenna 155mm	€ 17.00
AAE23X502	ATU-6C	440-470 MHz UHF Antenna 155mm	€ 17.00
AAE20X503	ATU-6DS	450-485 MHz UHF Antenna 89mm	€ 17.00
AAE23X503	ATU-6D	450-485 MHz UHF Antenna 152.5mm	€ 17.00
AAG42X501	ATV-6XL	Untuned VHF Antenna 177.8mm	€ 17.00
AAE24X501	ATV-8A	134-151 MHz VHF Antenna 152.5mm	€ 17.00
AAE24X502	ATV-8B	150-163 MHz VHF Antenna 152.5mm	€ 17.00
AAE24X503	ATV-8C	161-174 MHz VHF Antenna 152.5mm	€ 17.00
Batteries/Charger S.U.C			
AAL01X501	FNB-V136-UNI	FNB-V136-UNI 1200 mAh Ni-MH Battery	€ 26.00
AAJ67X501	FNB-V133LI	FNB-V133LI-UNI LI-ION BATTERY 1380MAH	€ 27.50
AAJ68X501	FNB-V134LI	FNB-V134LI-UNI LI BAT 2300MAH	€ 49.00
AAL01X501	FNB-V136LI	FNB-V136-UNI NI-MH BATTERY 1200MAH	€ 26.00
GMLN5511A	VAC-UNIC	VAC-UNIC (CD-58 + PA55C) Euro	€ 32.00
GMLN5512A	VAC-UNIUI	VAC-UNIUI (CD-58 + PA55U) UK	€ 32.00
Battery chargers M.U.C			
GMLN5513A	VAC-6058C	VAC-6058C MUC FOR UNI BATTERY EU PLUG	€ 375.00
GMLN5514A	VAC-6058U	VAC-6058C MUC FOR UNI BATTERY UK PLUG	€ 375.00
Vehicle charger			
AAK45X501	VCM-5	VCM-5 Vehicle Charger	€ 54.00
Audio accessories			
AAL82X501	MH-100	3.5mm Earpiece	€ 15.00
AAK50X501	MH-37A4B-1	Earpiece Microphone	€ 31.00
AAL40X501	VH-150A	Behind head Vox Compatible Microphone	€ 62.00
AAL41X501	VH-150B	Over The Head Vox Compatible Microphone	€ 96.00
AAL83X501	MH-101A4B	1 Wire Surveillance Kit	€ 31.00
AAL84X501	MH-102A4B	2 Wire Surveillance Kit	€ 42.00
AAF53X501	MH-450s	Speaker Microphone Small type	€ 37.00
AAF52X501	MH-360s	Speaker Microphone Miniature type	€ 35.00
Programming accessories			
AAJ23X501	FIF-12	USB interface adapter for use with CT-106	€ 42.00
AAD68X501	CT-106	Programing Cable interface to connect to FIF-12	€ 22.00
N/A		EVX-261 series Programming software - download from MOL	Free of charge
Carry Solutions			
AAM03X511	LCC-261	Leather case with belt loop (FNB-V133LI-UNI)	€ 30.00
AAM03X512	LCC-261H	Leather case with belt loop (FNB-V134LI-UNI)	€ 30.00
AAM03X513	LCC-261S	Leather case with swivel belt loop (FNB-V133LI-UNI)	€ 43.00
AAM03X514	LCC-261SH	Leather case with swivel belt loop (FNB-V134LI-UNI)	€ 43.00
Product manual			
N/A		EVX-261 series VHF and UHF product manuals - download f	Free of charge

No liability is accepted for pricing or description errors in this document. All true descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency: EUR
Revision Date Of Text: 09 April 2018
Pricing Information Valid As Of: 01 January 2018

EVX-S24 - Two-Way Radio with 16 Channels

The EVX-S24 is a 'compact radio' consisting of simple to operate allowing users to keep in contact while still concentrating on the job in hand. Available in 3W UHF 403-480MHz, Black or Yellow Options

Hardware features:

- 4 Programmable buttons
- Accessory connector socket
- 500 mW Internal Speaker
- IP 67

Operator friendly controls and features include:

- Rotary On/Off and volume control
- Tri colour LED
- Large textured PTT
- Four programmable option buttons
- Emergency Alert
- Lone Worker Alert
- MDC1200® Features
- Internal VOX (when used with VOX accessory)
- Fleetsync® ANI
- CTCSS/DCS Encode / Decode
- Programmable channel spacing 12.5/20/25KHz
- Multiple Scan Options
- ARTS (Automatic Range Transpond System)

Digital Features Include:

- All Call/Group Call /Individual Call
- Basic & Enhanced Privacy
- Transmit Interrupt (Decode Only)
- Dual Capacity Direct Mode
- Site Search
- Text Message

All EVX-S24 Portables include:

- PMNN4468A 2300 mAh Li-Ion Battery
- Charger Selection
- Clip-27 Belt Clip
- Antenna Selection
- Userguide incorporating safety leaflet
- 12 month warranty (radio only)



Important note: Options listed below - one of each item must be chosen.

i.e. Chose a radio, antenna, battery and charger option.

Radios:	Power	Model/Option	Description	Manufacturer's Suggested List Price
CE 400 - 470 MHz	1-3 W	AC146U502-MSI	EVX-S24-G6-3 (CE) 403-480MHZ BLACK	€ 240.00
		QA07222AA	ADD: ATU-20AS Regular Stubby Antenna 400-430 MHz	€ 0.00
		QA07223AA	ADD: ATU-20CS Regular Stubby Antenna 420-450 MHz	€ 0.00
		QA07224AA	ADD: ATU-20DS Regular Stubby Antenna 440-470 MHz	€ 0.00
		QA07225AA	ADD: ATU-20FS Regular Stubby Antenna 450-480 MHz	€ 0.00
		QA07226AA	ADD: ATU-21AS Super Stubby Antenna 400-420 MHz	€ 0.00
		QA07227AA	ADD: ATU-21CS Super Stubby Antenna 420-440 MHz	€ 0.00
		QA07228AA	ADD: ATU-21DS Super Stubby Antenna 440-460 MHz	€ 0.00
		QA07229AA	ADD: ATU-21FS Super Stubby Antenna 460-480 MHz	€ 0.00
CE 400 - 470 MHz	1-3 W	AC146U512-MSI	EVX-S24-G6-3 (CE) 403-480MHZ, YELLOW	€ 240.00
		QA07222AA	ADD: ATU-20AS Regular Stubby Antenna 400-430 MHz	€ 0.00
		QA07223AA	ADD: ATU-20CS Regular Stubby Antenna 420-450 MHz	€ 0.00
		QA07224AA	ADD: ATU-20DS Regular Stubby Antenna 440-470 MHz	€ 0.00
		QA07225AA	ADD: ATU-20FS Regular Stubby Antenna 450-480 MHz	€ 0.00
		QA07226AA	ADD: ATU-21AS Super Stubby Antenna 400-420 MHz	€ 0.00
		QA07227AA	ADD: ATU-21CS Super Stubby Antenna 420-440 MHz	€ 0.00
		QA07228AA	ADD: ATU-21DS Super Stubby Antenna 440-460 MHz	€ 0.00
		QA07229AA	ADD: ATU-21FS Super Stubby Antenna 460-480 MHz	€ 0.00
		Charger options:	Select one option below	
		QA07230AA	ADD: USB POWER SUPPLY - CHARGER EU	€ 0.00
		QA07231AA	ADD: USB POWER SUPPLY - CHARGER UK	€ 0.00
		QA07232AA	ADD: CD-65 Radio Charger Base and Power Adaptor (EU)	€ 12.00
		QA07233AA	ADD: CD-65 Radio Charger Base and Power Adaptor (UK)	€ 12.00
		QA07234AA	ADD: CD-66 Radio Charger Base and Power Adaptor (EU)	€ 18.00
		QA07235AA	ADD: CD-66 Radio Charger Base and Power Adaptor (UK)	€ 18.00
		QA07236AA	DEL: Power Supply - charger EU/UK	€ 0.00

No liability is accepted for pricing or description errors in this document. All true descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency: EUR
Revision Date Of Text: 09 April 2018
Pricing Information Valid As Of: 01 January 2018

Page 14

Model number	Description	Manufacturer's Suggested List Price
Antennas		
AAM23X501	ATU-20AS Regular Stubby Antenna 400-430 MHz	€ 12.00
AAM23X504	ATU-20CS Regular Stubby Antenna 420-450 MHz	€ 12.00
AAM23X502	ATU-20DS Regular Stubby Antenna 440-470 MHz	€ 12.00
AAM23X503	ATU-20FS Regular Stubby Antenna 450-480 MHz	€ 12.00
AAM28X501	ATU-21AS Super Stubby Antenna 400-420 MHz	€ 12.00
AAM28X502	ATU-21CS Super Stubby Antenna 420-440 MHz	€ 12.00
AAM28X503	ATU-21DS Super Stubby Antenna 440-460 MHz	€ 12.00
AAM28X504	ATU-21FS Super Stubby Antenna 460-480 MHz	€ 12.00
Lithium Ion Batteries/Charger S.U.C		
PMNN4468A	BATTERY PACK,BATT LIION 2300T	Existing MSI Model
AAM20X501	CD-66 ENHANCED CHARGING CRADLE	€ 24.00
AAM19X501	CD-65 CHARGING CRADLE	€ 18.00
PS000042A12	POWER SUPPLY ADAPTOR,POWER- WALL CUBE,AC,DC,SWITCH MODE, 5W, 100 V - 240 V, MICRO-USB, EU	Existing MSI Model
PS000042A13	POWER SUPPLY ADAPTOR,POWER- WALL CUBE,AC,DC,SWITCH MODE, 5W, 100 V - 240 V, MICRO-USB, UK/HK	Existing MSI Model
Battery Chargers M.U.C		
GMLN5515A	VAC-6066C MUC FOR EVX-S24 EU PLUG	€ 265.00
GMLN5516A	VAC-6066U MUC FOR EVX-S24 UK PLUG	€ 265.00
Audio accessories		
AAE46X509	MH-66F4B IP57 SUBMERSIBLE SPKR MIC	€ 85.00
AAM26X501	VH-190 VOX LIGHTWEIGHT HEADSET BEHIND THE HEAD	€ 59.00
AAM24X501	MH-90A4B COMPACT SPEAKER MIC	€ 30.00
AAM21X501	MH-89A4B Earpiece Microphone	€ 28.00
Programming accessories		
CB000262A01	Micro USB Programming Cable	Existing MSI Model
N/A	EVX-S24 series Programming software - download from MOL	Free of charge
Carry Solutions		
AAM22X501	LCC-S24 Leather Case, Belt Loop	€ 30.00
AAM22X502	LCC-S24S Leather Case, Swivel Belt Loop	€ 59.00
AAM18X501	CLIP 27 BELT CLIP	€ 5.81
Product manual		
N/A	EVX-S24 product manuals - download from M	Free of charge

No liability is accepted for pricing or description errors in this document. All true descriptions and pricing can be obtained from the Buying Centre on MOL.

VX-2100 - Two-Way Radio with 8 Channel capacity

The VX-2100 mobile two-way radio delivers the fundamental features you want. Simple to operate which allows users to keep in contact while still concentrating on the job in hand. **CE versions available are 25W VHF (134-174MHz) CE and UHF (400-470MHz) CE models.** Non CE version available is 50W VHF (134-174MHz) model.

Hardware features:

- Rugged die-cast chassis
- Large single digit numeric display
- 4 side buttons (programmable - dual function)
- 15 pin HDB15 Rear Accessory Connector
- MIL 810 CDEF
- PL RF connector type

Operator friendly controls and features include:

- Large rotary volume & On/Off controls
- Large clear LEDs
- Internal speaker
- Programmable channel spacing 12.5/20/25KHz
- CTCSS / DCS and 5 Tone Encode / Decode
- Emergency
- Stun/Revive/Kill
- Scan
- Programmable Accessory connector
- ARTS (Automatic Range Transpond System)



All VX-2100 Mobiles include:

- Mobile radio with display
- Microphone (MH-67A8J) plus hang up clip
- Userguide incorporating safety leaflet
- DC lead and two spare 15 Amp blade fuses
- Mobile mounting bracket
- 12 months warranty

i.e. Chose a radio and microphone option.

Radios:	Power	Model/Option	Description	Manufacture's Suggested List Price
Non CE 134 - 174 MHz	50 W	AC061N531-MSI	VX-2100-D0-50 C EXP (Non CE) 136-174MHz, 8 CH, display	€ 254.00
		QA07398AA	ADD:MH-67A8J Standard Microphone	€ 0.00
		QA07399AA	ADD:MH-75A8J Keypad Microphone	€ 19.00
		QA07400AA	ADD:MD-12A8J Desktop Microphone	€ 52.00
CE 134 - 174 MHz	25 W	AC061N533-MSI	VX-2100-D0-25 C EU (CE) 136-174MHz, 8 CH, display	€ 254.00
		QA07398AA	ADD:MH-67A8J Standard Microphone	€ 0.00
		QA07399AA	ADD:MH-75A8J Keypad Microphone	€ 19.00
		QA07400AA	ADD:MD-12A8J Desktop Microphone	€ 52.00
CE 400 - 470 MHz	25 W	AC061U537-MSI	VX-2100-G6-25 A EU (CE) 403-470MHz, 8 CH, display	€ 254.00
		QA07398AA	ADD:MH-67A8J Standard Microphone	€ 0.00
		QA07399AA	ADD:MH-75A8J Keypad Microphone	€ 19.00
		QA07400AA	ADD:MD-12A8J Desktop Microphone	€ 52.00
Non CE 400 - 470 MHz	45 W	AC061U535-MSI	VX-2100-G6-45 A EXP (Non CE) 403-470MHz, 8 CH, display	€ 254.00
		QA07398AA	ADD:MH-67A8J Standard Microphone	€ 0.00
		QA07399AA	ADD:MH-75A8J Keypad Microphone	€ 19.00
		QA07400AA	ADD:MD-12A8J Desktop Microphone	€ 52.00

No liability is accepted for pricing or description errors in this document. All true descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency EUR
 Revision Date Of Text: 09 April 2018
 Pricing Information Valid As Of: 01 January 2018

VX-2200 - Two-Way Radio with 128 Channel capacity

The VX-2200 mobile two-way radio delivers the fundamental features you want. Simple to operate which allows users to keep in contact while still concentrating on the job in hand. **CE versions available are 25W VHF (134-174MHz) CE and UHF (400-470MHz) CE models.** Non CE version available is 50W VHF (134-174MHz) model.

Hardware features:

- Rugged die-cast chassis
- Large 8 Digit Alphanumeric display
- 4 side buttons (programmable - dual function)
- 15 pin HDB15 Rear Accessory Connector
- MIL 810 CDEF
- PL RF connector type

Operator friendly controls and features include:

- Large rotary volume & On/Off controls
- Option board capable
- Internal speaker
- Programmable channel spacing 12.5/20/25KHz
- CTCSS / DCS and 5 Tone Encode / Decode
- Emergency
- Stun/Revive/Kill
- Scan
- Programmable Accessory connector
- ARTS (Automatic Range Transpond System)



All VX-2200 Mobiles include:

- Mobile radio with display
- Microphone (MH-67A8J) plus hang up clip
- Userguide incorporating safety leaflet
- DC lead and two spare 15 Amp blade fuses
- Mobile mounting bracket
- 12 months warranty

Important note: Options listed below - one must be chosen. i.e. Chose a radio and microphone option.

	Power	Model/Option	Description	Manufacture's Suggested List Price
Non CE 134 - 174 MHz	50 W	AC061N532-MSI QA07398AA QA07399AA QA07400AA	VX-2200-D0-50 C EXP (Non CE) 136-174MHz, 128 CH, display ADD:MH-67A8J Standard Microphone ADD:MH-75A8J Keypad Microphone ADD:MD-12A8J Desktop Microphone	€ 300.00 € 0.00 € 19.00 € 52.00
CE 134 - 174 MHz	25 W	AC061N534-MSI QA07398AA QA07399AA QA07400AA	VX-2200-D0-25 C EU (CE) 136-174MHz, 128 CH, display ADD:MH-67A8J Standard Microphone ADD:MH-75A8J Keypad Microphone ADD:MD-12A8J Desktop Microphone	€ 300.00 € 0.00 € 19.00 € 52.00
CE 400 - 470 MHz	25 W	AC061U538-MSI QA07398AA QA07399AA QA07400AA	VX-2200-G6-25 A EU (CE) 403-470MHz, 128 CH, display ADD:MH-67A8J Standard Microphone ADD:MH-75A8J Keypad Microphone ADD:MD-12A8J Desktop Microphone	€ 300.00 € 0.00 € 19.00 € 52.00
Non CE 400 - 470 MHz	45 W	AC061U536-MSI QA07398AA QA07399AA QA07400AA	VX-2200-G6-45 A EXP (Non CE) 403-470MHz, 128 CH, display ADD:MH-67A8J Standard Microphone ADD:MH-75A8J Keypad Microphone ADD:MD-12A8J Desktop Microphone	€ 300.00 € 0.00 € 19.00 € 52.00

No liability is accepted for pricing or description errors in this document. All true descriptions and pricing can be obtained from the Buying Centre on MOL.

Currency: EUR
Revision Date Of Text: 09 April 2018
Pricing Information Valid As Of: 01 January 2018

Model number	Description	Manufacture's Suggested List Price
Microphones		
AAE60X502	MH-67A8J Standard microphone	€ 32.00
AAG22X501	MH-75A8J Keypad microphone	€ 45.00
AAF13X501	MD-12A8J Desktop microphone	€ 75.00
Speakers		
A09260503	MLS-100 12watt ext spk (rectangular)	€ 42.00
AAD49X501	MLS-200 12watt ext spk (circular)	€ 42.00
Mounting hardware		
A09120001	LF-1 Line Filter (DC) (VS)	€ 23.00
Programming Accessories		
AAJ23X501	FIF-12 USB interface adapter for use with CT-104A	€ 42.00
AAD66X502	CT-104A VX-2100/2200 & VX-4500/4600 & VXR9000 series programming cable....connect to FIF-12	€ 22.00
N/A	CE-82 VX2100 / VX2200 series, programming software - download from MOL	Free of charge
Product manual		
N/A	VX2100 / VX2200 series VHF and UHF product manual - download from MOL	Free of charge

No liability is accepted for pricing or description errors in this document. All true descriptions and pricing can be obtained from the Buying Centre on MOL.